

INDEX

(to sections)

Nuclear and Particle Physics

by C. Amsler

IOP Publishing Ltd

978-0-7503-1141-0 (ISBN)

- α_s coupling, 7.3
- α series, 5.3
- absorption,
 - coefficient, 9.5
 - length, 19.1.3
- activity, 4.1, 5.5
- aerogel, 9.10
- Am-Be source, 5.3
- analyzing power, 11.3, 12.4.2
- angular transformation, 8.3
- anomalous magnetic moment, 13.3.3
- antibaryon, 7.2
- antihydrogen, 9.1, 11.9
- antimatter, 19.3
- asymmetric collider, 20.2
- asymmetry
 - in $e^+e^- \rightarrow \mu^+\mu^-$, 17.4.4
- asymptotic freedom, 7.3
- atomic
 - mass, 3
 - number 3
 - weight, 1.1.3, 3
- Auger electron, 5.1
- Avogadro number, 1.1.3, 3, 9.2
- β -decay
 - double, 5.2, 14.5
 - inverse, 14.1
- Barkas effect, 9.2
- barn, 1.1.3
- becquerel, 4.1
- BEH mechanism, 16.5
- betatron, 9.1
- Bethe-Bloch formula, 9.2
- binding energy, 3, 3.2
- box potential, 3.1
- branching ratio, 4.1
- breeder reactor, 5.4.2
- bremsstrahlung, 7.3, 9.2, 9.4
- bubble chamber, 9.8
- C parity
 - particle-antiparticle, 11.7
 - photon, 11.7
- CP violation, 19.2, 20.4
 - interference, 20.4
- Cabbibo,
 - angle, 13.2.1, 13.2.4, 16.3
 - mechanism, 7.3.3, 10.5
- Callan-Gross relation, 18
- calorimeter
 - electromagnetic, 9.12
 - hadronic, 9.13
 - liquid argon, 19.2.2
- cascade generator, 9.1
- centrifugal barrier, 5.3
- Čerenkov
 - counter, 9.10
 - radiation, 9.10, 14.6
- CERN 9.1
- chain reaction, 5.4.2
- charge independence, 12.4, 13.2.1, 16.6
- Chew-Frautschi plot, 10.3.3
- chiral couplings, 16.7
- chirality, 13.3.1, 15.3
- circular polarization, 11.6
- CKM matrix, 16.3, 20.1, appendix D
- Clebsch-Gordan coefficients, 11.4
- CNO cycle, 14.3
- collider, 8.4, 9.1
- colour, 10.4
- compound nucleus, 5.4.1
- Compton
 - edge, 9.5
 - scattering, 14.4
 - wavelength, 7.3.2
- confinement, 7.2, 7.3, 10.3.3
- conservation
 - angular momentum, 11.2
 - baryon number, 7.3.1, 11.5
 - C parity, 11.7

- CP , 11.8, 19.1
- colour, 10.4
- electric charge, 7.3.1, 16.6
- lepton number, 7.3.1, 11.5
- momentum, 11.1
- P parity, 11.3
- time reversal, 11.8
- contact interaction, 13.2
- cosmic muons, 8.5
- coupling
 - axial vector, 13.2.1
 - Fermi, 13.2.1, 13.2.3, 16.1
 - g_A/g_V , 13.2.3, 16.1
 - vector, 13.2.1
- covariant derivative, 16.4, 16.7
- critical energy, 9.4
- cross section, 12.1
 - differential, 1.1, 1.1.3, 12.1
 - interactions, 7.3.4
 - neutrino-lepton, 17.4.1, 17.4.4
 - neutrino-quark, 17.4.2
 - Thomson, 9.5
 - total, 1.1.2, 7.3.4
 - two-body, 12.2
- Curie, 4.1
- current
 - charged, 7.3.3
 - electromagnetic, 15.6
 - flavour changing, 16.3
 - neutral, 7.3.3, 16.2.1
 - strangeness changing, 16.3
- cyclotron, 9.1
 - frequency, 9.1, 11.9
 - isochronous, 9.1
 - synchro-, 9.1
- $\Delta C = \Delta Q$ rule, 13
- ΔE vs. E , 9.2
- $\Delta i = 1/2$ rule, 13, 19.1.1, 19.2.2
- Δm oscillation, 19.1.2
- $\Delta S = \Delta Q$ rule, 13, 19.1, 19.3
- $\Delta S = 1$ rule, 10.1
- $\Delta S = 2$ process, 19.1
- Dalitz
 - plot, 12.3
 - pair, 11.6
- dating, 13.2.1
- decay
 - $\eta (\rightarrow 3\pi)$, 11.7, 12.5
 - ϕ , 10.2.4, 19.1.1
 - ω , 12.3.2
 - π^0 , 8.1
 - π^\pm , 8.3
 - W^\pm , 10.4
 - leptonic, 13
 - muon, 13.2.4
 - polarized neutron, 13.2.3
 - proton, 7.3.1, 7.4
 - semileptonic, 13, 19.3
 - tritium, 14.2.1
- decay constant, 4.1
- decuplet (SU(3)), 10.2.2
- detector
 - ALEPH, 17.2.2
 - ARGUS, 20.2
 - ATHENA, 11.9
 - ATLAS, 17.3
 - BABAR, 20.2
 - CMS, 17.3
 - CPLEAR, 19.3.1
 - Crystal Ball, 10.3.1
 - Crystal Barrel, 12.3.3
 - Daya Bay, 14.6.5
 - Double Chooz, 14.6.5
 - Gargamelle BBC, 16.2.1
 - SNO, 14.6
 - Super-Kamiokande, 14.6
 - UA1, 17.2
- dilution factor, 19.2.1
- dipole moments, 11.8.1
 - anomalous, 2.4
 - electric (neutron), 11.8.1
 - magnetic (muon), 13.3.3
 - magnetic (nucleon), 2.4
 - neutrino, 9.6, 14.3
- discovery
 - antiproton, 15.2
 - b quark, 10.3
 - c quark, 10.3

electron antineutrino, 14.1
 Higgs boson, 17.3
 J/ψ meson, 10.3.1
 K^0 meson, 10.1
 K_2 meson, 19.1.1
 muon, 7.3.3
 muon neutrino, 14.1
 neutral currents, 17.4.3
 neutron, 5.2, 13.1
 Ω^- , 10.2.2
 π^0 meson, 8.1
 π^\pm meson, 7.3.2
 positron, 15.2
 τ neutrino, 14.1
 t quark 10.5
 W^\pm boson, 17.2
 Z^0 boson, 17.2
 distribution
 box, 8.1, 17.4.1
 Breit-Wigner, 4.2, 10.3.1, 12.4, 17.2.2
 Landau, 9.2
 Molière, 9.3
 Poisson, 4.3
 Saxon-Woods, 2.2
 dose, 5.5
 double β -decay, 5.2
 drift chamber, 9.6
 dripline, 6
 ϵ parameter, 19.2.1
 ϵ' parameter, 19.2.2
 electron capture, 5.2
 electron radius, 9.5
 equation
 continuity, 15, 15.6
 Dirac, 15
 Klein-Gordon, 7.3.2, 15, 16.5
 Maxwell, 11.5, 15.6.1, 16.4
 Proca, 11.5, 16.5
 Weyl, 15.3
 even-even nuclei, 3.2, 5.2, 14.5
 exchange force, 7.3.2
 excitation (orbital and radial), 10.2.1
 ft -value, 13.2.2
 Fermi
 coupling constant, 16.1
 energy, 3.1
 function, 13.2.1
 Feynman diagram, 7.3
 field index, 9.1
 fifth force, 11.5
 fine structure
 splitting, 6
 constant, 1.1.1, 7.3
 fission
 induced, 5.4.2
 spontaneous, 5.4.1, 6
 flavour, 7.1, 10.2.3
 oscillation, 19.1.2
 wave functions, 10.2.1, 10.2.2, app. A
 flux tube, 10.3.3
 focusing, 9.1
 form factor, 2.2
 nucleon, 2.4
 dipole, 2.2, 2.4
 monopole, 2.2
 formation length, 9.11
 fragmentation, 10.3.3
 Furry theorem, 12.5
 fusion
 solar, 12.4.1, 14.3
 controlled, 14.3
 g -factor, 2.4, 13.3.2, 15.2
 $g - 2$ experiment, 13.3.3
 Gamow factor, 5.3
 gauge
 theory, 11.2, 11.5, 16.4
 gauge transformation, 11.5
 Geiger-Nuttal rule, 5.3
 Gell-Mann-Nishijima
 electroweak, 16.7
 strong, 10.2.3
 glueball, 7.3, 10.4, 12.3.3, 16.6
 golden rule, 13.2
 Goldstone boson, 16.5
 graviton, 7.1
 gray, 5.5
 GUTs, 7.3.1, 7.4
 hadronization, 10.3.3

- half-life, 4.1
- handedness, 11.6, 13.3.1, 15.3
- Heaviside-Lorentz units, 1.1.1
- heavy water, 5.4.2, 14.3
- helicity, 11.6, 15.3
- HERA, 9.1, 18
- higgsstrahlung, 17.3
- horn (magnetic), 9.1, 14.6.3
- Hoyle resonance, 14.3
- hypercharge
 - strong, 10.2.3
 - weak, 16.7
- hyperfine splitting, 6.6.1, 10.2.1, 10.3.1, 10.3.3
- hypernucleus, 11.4
- hyperon, 7.2
- ideal mixing, 10.2.1
- impact parameter, 1.1
- internal
 - conversion, 5.2
 - pair production, 5.2
- interval rule, 6.1
- invariant mass, 4.2, 8.2, 12.3.3
- isobar, 3, 5.2
- isomer, 5.1
- isomeric shift, 6.1
- isoscalar target, 17.4.2, 17.4.3
- isotone, 3
- isotope, 3
- isotope shift, 2.3
- ISR, 9.1
- Jacobian, 8.1, 8.3
- Kurie plot, 14.2.1
- Landau-Yang theorem, 11.6
- Larmor frequency, 11.8.1, 13.3.2
- lead glass counter, 9.12
- LEAR, 9.1, 11.9, 19.3.1
- LEP, 9.1
- LHC, 9.1
- lifetime
 - α -decay, 5.3
 - K^\pm meson, 13.1
 - π^\pm meson, 16.1
 - K_1 and K_2 mesons, 19.1.1
 - W boson, 17.2.1
 - Z^0 boson, 17.2.2
 - muon, 8.5, 13.2.4, 16.1
 - neutron, 4.2, 13.1.1, 13.2.1
- LINAC, 9.1
- liquid drop model, 3.2
- Lorentz
 - gauge, 15.6.1, 16.4
 - transformation, 8
- ℓs coupling, 6
- luminosity, 9.1
- magic numbers, 3.2, 6
- Malter effect, 9.6
- mass
 - defect, 3
 - Higgs boson, 16.7
 - lepton, 7.1
 - muon, 16.1
 - neutron, 13.1
 - photon, 7.1
 - quark, 7.1
 - Z^0 and W^\pm bosons, 16.7
- Mendeleev table, 3
- Michel spectrum, 13.3.2, 16.2
- minimum opening angle, 8.1
- mirror nucleus, 12.4
- mixing angle, 10.2.1, appendix B
- mixing (complete), 19.1.2
- mobility, 9.9
- moderator, 5.4.2
- Molière radius, 9.12, 17.3
- momentum transfer, 16, 8.4, 15.6.1, 17.1
- Moseley, 3
- MSW effect, 14.6.6, 14.6.7
- multiplets
 - $SU(3)_f$ group, 10.2.3
 - $SU(4)_f$ group, 10.3
- multiplication factor, 5.4.2
- multipole order, 5.1
- muon decay and production, 13.3.2
- muonic atoms, 2.3
- natural units, 1.1.1
- neutralino, 7.4
- neutrino

- Δm_{12}^2 oscillations, 14.6.4
- Δm_{23}^2 oscillation, 14.6.3
- θ_{13} , 14.6.5
- capture, 14.3
- CP violation, 14.6.2
- deficit, 14.3
- Dirac, 14.5
- helicity, 14.4
- Majorana, 14.5
- mass, 7.1, 14.2
- muon 14.1, 14.2.3
- reactor, 14.1
- solar flux, 14.3
- sterile, 14.2.2, 14.3, 17.2.2
- tauon 14.1, 14.2.3
- neutron
 - activation, 4.1
 - decay, 13.2.1, 13.2.3
 - delayed, 5.4.2
 - prompt, 5.4.2
 - radioactive source, 5.3
 - thermal, 5.4.2
 - ultra-cold, 11.8.1, 13.1.1
- NMR, 11.8.1
- nonet (SU(3)), 10.2.1
 - mixing angle, 10.2.1
- nuclear
 - magneton, 24
 - resonance scattering, 14.4
 - spin, 6
- ω exchange, 6
- octet, 10.2.2
- odd-odd nuclei, 3.2, 5.2
- odd-even nuclei, 3.2, 5.2
- optical theorem, 19.1.3
- OZI rule, 10.2.4
- pp cycle, 14.3
- parity, 15.4
 - K^\pm meson, 11.4, 13.3
 - π^0 meson, 11.6
 - π^\pm meson, 11.4
 - photon, 11.4
- partial width, 12.1
- partons, 8.6, 10.2, 17.4.2, 18
- Penning trap, 11.9
- pentaquark, 7.2
- PEP-II, 20.2
- phase space, 12.1,13.2
 - three-body, 12.3, 12.3.3
 - two-body, 12.2
- photoelectric effect, 9.5
- pionic atom, 11.4
- pixel detector, 9.9
- Planck mass, 7.3.2
- plasma frequency, 9.11
- plutonium, 5.4.2
- PMNS matrix, 14.6.2
- polarized protons, 11.3
- positronium, 10.3.1
 - ortho, 11.6, 11.7, 12.3
 - para, 11.6, 11.7
- propagator
 - heavy boson, 15.6
 - photon, 15.6
- Q-value, 5, 12.3
- quench gas, 9.6
- quadrupole moment, 6.1
- quarkonium, 10.3.3
- ρ parameter, 16.7
- rad, 5.5
- radiation length, 9.3, 9.12
- random walk, 1.1.3
- range, 9.2
 - straggling, 9.2
- rapidity, 8.6
- reactor (nuclear), 5.4.2
- refractive index, 9.10
- regeneration, 19.1.3
- Regge trajectory, 10.3.3
- rem, 5.5
- representation, 11
 - Pauli-Dirac, 15.1
- resonance absorption, 5.1
- RHIC, 9.1
- R parity, 7.4
- r-process, 3, 6
- s-process, 3
- sandwich counter, 9.12

Sargent rule, 13.2.4
 scaling, 18
 variable, 17.4.2, 18
 scattering
 electron-deuterium, 16.7, 17.1
 Bhabha, 16.1, 17.2.2
 Bragg, 13.1
 Compton, 9.5
 deep inelastic, 17.1, 17.4.2, 18
 Møller, 7.3, 15.6.1
 Mott, 2.1, 18
 νe and $\bar{\nu} e$, 17.4.1, 17.4.4
 neutral current, 17.4.3
 Rayleigh, 9.5
 Rosenbluth, 2.4, 18
 Rutherford, 7
 Schwinger sum rule, appendix B
 sea quark, 10.2, 17.4.2
 shielding current, 16.5
 shower, 9.5, 9.12
 sievert, 5.5
 silicon detector, 9.9
 skin thickness, 2.2
 SLC, 9.1, 17.2.2
 slepton, 7.4
 space inversion, 11.3
 SPEAR, 10.3.1
 spectrometer
 double focusing, 3
 solenoid retarding, 14.2.2
 spin
 K^\pm meson, 12.3.1
 ω meson, 12.3.2
 π^\pm meson, 12.2.1
 spinor,
 adjoint, 15
 left-handed and right-handed, 15.3
 spontaneous symmetry breaking, 16.5
 SPS, 9.1
 squark, 7.4
 stability parabolas, 5.2
 Stark effect, 11.3, 11.4
 stochastic cooling, 9.1
 stopping power, 9.2
 strangeness, 10.1, 19
 structure function, 17.4.2, 18
 SU(3) wave functions
 baryons, appendix C
 mesons, appendix A
 super-heavy elements, 6
 supersymmetry, 7.4
 superweak interaction, 19.1
 synchrotron, 9.1
 radiation, 9.1
 T2K, 8.3, 14.6.5
 tauon (τ), 7, 13.2.4, 14
 tetraquark, 7.2
 Tevatron, 9.1
 Thomas precession, 13.3.3
 time projection chamber, 9.6, 14.5
 tissue weighting factor, 5.5
 transitions
 allowed, 13.2.1
 Fermi, 13.2.1, 16.1
 forbidden, 13.2.1
 Gamow-Teller, 13.2.1, 16.1
 superallowed, 13.2.1
 transmission
 factor, 5.3
 method, 12.4.2
 transuranic elements, 6
 transverse photon, 11.6
 tritium β -decay, 14.2.1
 tunnel effect, 5.3
 universality,
 $\bar{q}q$ potential, 10.3.3
 lepton, 13.2, 17.2.1
 uranium series, 5.3
 $V-A$ interaction, 13.3.1, 16.1, 17.2.1
 vacuum
 expectation value, 16.5, 16.7
 polarization, 7.3
 valence quark, 10.2
 valley of stability, 3
 Van de Graaff, 9.1
 vector mesons, 11.4
 virtual particle, 7.3, 7.3.2
 wavelength shifter, 17.2

weak focusing, 9.1
Weinberg angle, 16.2.1, 16.7
Widerøe's condition, 9.1
Wolfenstein parametrization, 16.3
Wu-Yang convention, 19.2.2
Yang-Mills fields, 16.6
Yukawa, 1.1.3, 7.3.2
Zemach formalism, 12.3.2